


















	Roda <i>Wheel</i> Roue		Pressão recomendada <i>Recommended pressure</i> Pression recommandée		Diâmetro da roda <i>Wheel diameter</i> Diamètre de la roue
	Velocidade máxima <i>Maximum speed</i> Vitesse maximum		Largura da Roda <i>Wheel width</i> Largeur de la roue		Jante utilizada <i>Wheel-rim to use</i> Jante utilisée
	Diâmetro do furo <i>Hub bore</i> Diamètre du trou		Capacidade de carga <i>Load capacity</i> Capacité de charge		Rolamento de esferas <i>Balls bearings</i> Roulement à billes
	Número de telas <i>PR number</i> Numéro de Plys				

RODAS PNEUMÁTICAS PARA ATRELADOS E CARAVANAS









PNEUMATIC WHEELS FOR TRAILERS AND CARAVANS

ROUES PNEUMATIQUES POUR REMORQUES LÉGÈRES ET CARAVANES



										
Código/Code	Ref.	mm	mm			P.R.	bar	km/h	Código Code	kg
10 72 98	4.50-10C-4TL/S-RE-25	490	125	25	6205 2Z	4	2.0	100	30 35 04	325











								
Código/Code	Ref.	mm	mm	P.R.	bar	km/h	Código Code	kg
10 72 06	16.5x6.5-8/4TL/S 98x4	410	160	4	3.1	130	30 54 02	280
10 72 97	195/55R-10C-112x5	476	209	-	6.25	140	6.00x10	750









RODAS PNEUMÁTICAS PARA ATRELADOS E CARAVANAS

PNEUMATIC WHEELS FOR TRAILERS AND CARAVANS

ROUES PNEUMATIQUES POUR REMORQUES LÉGÈRES ET CARAVANES

								
Código/Code	Ref.	mm	mm		bar	km/h	Código Code	kg
10 72 04	4.80/4.00-8/4TL/S 98x4	410	110	4	4.0	130	30 25 03	265
10 72 13	4.50-10C/4TL/S 98x4	490	125	4	3.5	130	30 35 01	325
10 72 14	5.00-10C/4TL/S 98x4	510	145	4	3.5	130	30 35 01	355
10 72 05	145-10/6TL/S 98x4	490	145	6	4.0	130	30 35 01	325



								
Código/Code	Ref.	mm	mm		bar	km/h	Código Code	kg
10 72 23	145/70 R-13/TL 98x4	535	145	-	2.5	140	30 40 19	345
10 72 27	155/70 R-13/TL 98x4	550	160	-	2.5	140	30 45 24	387
10 72 31	165/70 R-13/TL 98x4	570	170	-	2.5	140	30 45 24	437
10 72 35	175/70 R-13/TL 98x4	580	180	-	2.5	140	30 45 24	475
10 73 53	185/70 R-13/TL 98x4	590	189	-	2.5	140	30 45 24	530
10 73 60	195/50R-13C-112x5	534	209	-	6.5	140	5.5Jx13	900
10 72 39	185/70 R-14/TL 98x4	630	200	-	2.5	140	30 50 15	560
10 73 52	175 R-14C/TL-112x5	634	178	-	4.5	140	30 50 42	775
10 72 44	195 R-14C/8TL-112X5	678	206	8	4.5	100	30 50 42	900





Roda
Wheel
Roue



Pressão recomendada
Recommended pressure
Pression recommandée



Diâmetro da roda
Wheel diameter
Diamètre de la roue



Velocidade máxima
Maximum speed
Vitesse maximum



Largura da Roda
Wheel width
Largeur de la roue



Jante utilizada
Wheel-rim to use
Jante utilisée



Número de telas
PR number
Numéro de Plys



Capacidade de carga
Load capacity
Capacité de charge

RODAS PNEUMÁTICAS PARA ATRELADOS E MÁQUINAS AGRÍCOLAS

PNEUMATICS WHEELS FOR AGRICULTURAL-TRAILERS AND AGRICULTURAL MACHINES

ROUES PNEUMATIQUES POUR REMORQUES AGRICOLES ET MACHINES AGRICOLES



Código/Code	Ref.	mm	mm	P.R.	bar	km/h	Código Code	kg	
10 73 39	6.00-16/6TT 140x5	736	177	6	2.75	40	30 45 05	690	
10 73 01	6.00-16/6TT 205x6	736	177	6	2.75	40	30 45 07	690	











Código/Code	Ref.	mm	mm	P.R.	bar	km/h	Código Code	kg	
10 72 53	10.0/80-12/10TL 140x5	730	277	10	3.9	40	30 70 02	1050	

RODAS PNEUMÁTICAS PARA ATRELADOS E MÁQUINAS AGRÍCOLAS









PNEUMATICS WHEELS FOR AGRICULTURAL-TRAILERS AND AGRICULTURAL MACHINES

ROUES PNEUMATIQUES POUR REMORQUES AGRICOLES ET MACHINES AGRICOLES

								
Código/Code	Ref.	mm	mm		bar	km/h	Código Code	kg
10 72 57	10.0/75-15.3/10TL 140x5	779	277	10	3.9	40	30 90 02	1550
10 72 59	10.0/75-15.3/12TL 205x6	779	277	12	4.7	40	30 90 04	1700
10 72 69	11.5/80-15.3/12TL 205x6	868	305	12	4.1	40	30 90 04	2180
10 72 77	12.5/80-15.3/14TT 205x6	915	322	14	4.3	40	30 90 04	2650
10 73 41	400/60-15.5/14TL 205x6	908	436	14	3.6	40	30 13 03	2600
*10 73 47	400/60-15.5/14TL 205x6TR	908	436	14	4.9	40	30 13 03	2600

* Piso de tração; *Traction floor*; chaussée de traction



								
Código/Code	Ref.	mm	mm		bar	km/h	Código Code	kg
10 72 45	10.0/75-15.3/14TL 205x6	779	277	14	4.7	40	30 90 14	1900
10 72 46	400/60-15.5/14TL 205x6TR	908	436	14	4.9	40	30 13 18	2725

MODELO FLORESTAL / FORESTRY RIM / MODÈLE FORESTIER











RODAS PNEUMÁTICAS COM JANTE DE ARO DESMONTÁVEL PARA ATRELADOS E MÁQUINAS AGRÍCOLAS









PNEUMATIC WHEELS WITH MULTI-PIECE RIMS FOR AGRICULTURAL-TRAILERS AND AGRICULTURAL MACHINES

ROUES PNEUMATIQUES À CERCLE POUR REMORQUES AGRICOLES ET MACHINES AGRICOLES



									
Código/Code	Ref.	mm	mm		bar	km/h	Código Code	kg	
10 73 14	9.00-16/14TT/3 205x6	898	259	14	7.0	40	30 65 03	1800	



									
Código/Code	Ref.	mm	mm		bar	km/h	Código Code	kg	
10 73 26	7.00-16/12TT/3D 205x6	794	210	12	6.0	40	30 55 05	1250	
10 73 24	7.50-16/14TT/3D 205x6	814	225	14	7.0	40	30 55 05	1350	
10 73 23	7.50-20/12TT/3D 275x8	914	225	12	6.75	40	30 60 05	1800	
10 73 28	7.50-20/14TT/3D 275x8	914	225	14	6.65	40	30 60 05	1850	
10 73 40	8.25-20/14TT/3D 205x6	980	239	14	6.75	40	30 60 01	1950	
10 73 21	8.25-20/14TT/3D 275x8	980	239	14	6.75	40	30 60 05	1950	